Geothermal Energy Use, Country Update for United Kingdom

Tony Batchelor¹, Robin Curtis¹, Jonathan Busby²

¹ GeoScience Ltd, Falmouth Business Park, Falmouth, Cornwall, TR11 4SZ, UK.

² British Geological Survey, Environmental Science Centre, Nicker Hill, Keyworth, Nottingham, NG12 5GG, UK

curtis@geoscience.co.uk

Keywords: Country update, United Kingdom, low enthalpy, direct use, GSHP, mine workings, EGS, HDR

ABSTRACT

The exploitation of geothermal resources in the UK continues to be slow. There are no developed high temperature resources and limited development of low and medium enthalpy resources. However, in the reporting period 2015-2020, there has been a resurgence of interest in all aspects of geothermal energy in the UK.

The most significant development has been the completion of the drilling phase of the United Downs Deep Geothermal Project in Cornwall. The production Borehole UD-1 has recently been completed to a depth of 5.2 km MD, and injection borehole UD-2 to a depth of 2.5km.

Several deep aquifer projects, minewater projects, deep co-axial projects and another EGS/HDR project are at various preliminary stages.

In terms of real activity "in the ground" in this reporting period, other than United Downs, a new borehole research facility has been started, a minewater project has begun, and the Renewable Heat Incentive has finally led to a revival in growth of ground source heat pump installations. "Geothermal" seminars and conferences have been held.

With the growing interest in the need for large scale utilization of low carbon heat, a recent announcement by the UK Climate Change Committee should lead to significant expansion in the application of GSHPs and direct use geothermal heat.

1. INTRODUCTION

In a worldwide context, the exploitation of geothermal energy in the UK remains small. The geological and tectonic setting precludes the evolution of high enthalpy resources close to the surface and only low to moderate temperature fluids have been accessed by drilling in sedimentary basins in the south and northeast of England. Elevated temperature gradients and high heat flows have been measured in and above some granitic intrusions, particularly in southwest England. These granites were previously the site of the UK Hot Dry Rock programme in Cornwall and are now where the United Downs Deep Geothermal Project is currently underway.

The work at the Eastgate and Newcastle boreholes in northeast England also suggested higher than anticipated temperature gradients and hence increased focus on the possible application of geothermal heat in that region.

The comprehensive work by the British Geological Survey, (reported by Downing and Gray, 1986) is still the definitive reference to the geothermal prospects of the UK. For a background to material provided here, readers are referred to earlier UK Country Updates provided for the GRC International Symposia on Geothermal Energy (Garnish 1985, Batchelor 1990) the IGA World Geothermal Congresses (Batchelor 1995, Batchelor et al 2005, 2010, 2015) and EGC 2013, 2016 (Curtis et al 2013, 2016).

2. POLICY / INSTITUTIONAL

Two major legislative drivers continue to assist in driving forward interest in geothermal activity in the UK. The first is the European Union's RES Directive or 20/20/20 campaign. The UK has agreed a 15/20/20 commitment, which translates into 30% renewable electricity and 12% renewable heat by 2020. While the UK is on target to deliver on renewable electricity, it has fallen far behind on the renewable heat and transport targets. The second legislative driver is the 2008 UK Climate Change Bill – the first in the world, that commits current and future UK governments to publicly declared CO₂ reduction targets. While the early targets were met, the UK is currently not on a trajectory to meet forthcoming targets. The Climate Change Committee is currently addressing this, and a revised CO₂ reduction plan is to be announced imminently. Part of this will see a requirement for all new build housing after 2025 to be fitted with low carbon heating systems. This is expected to become a significant driver for GSHPs.

In October 2017 the UK government released its Clean Growth Strategy, This sets out a comprehensive set of policies and proposals that aim to accelerate the pace of "clean growth".

These overarching drivers translate into lower level legislative drivers such as the energy/carbon components of the Building Regulations, and planning requirements for new buildings. To assist with the achievement of these targets, a number of financial support schemes are in place. As well as ongoing support for mainstream renewable electricity generation (through Renewable Obligation Certificates (ROCs) and Contracts for Difference (CfDs)), enabling legislation was passed in 2008 to allow for feed-in-

Batchelor et al.

tariffs (FITs) for both small scale electricity generation and for renewable heat. The latter is the Renewable Heat Incentive (RHI) scheme which applies to biomass, solar thermal, and heat pump technologies. After four years of evolution and development, the RHI for domestic and non-domestic installations has been operating in this reporting period. Unfortunately, the tariffs for biomass and borehole based GSHPs initially led to a disproportionate fraction of the non-domestic RHI being taken by biomass installations (>90%). This tariff imbalance has been reviewed and addressed by DECC / DBEIS resulting in a fall-off in the rate of biomass installs, and a significant increase in GSHP installs, particularly in larger installations in the non-domestic sector. It is hoped that this will continue until the end of the RHI scheme in March 2021.

Legislation for deep geothermal development has been slow to catch up with the renewed level of interest in the sector. There is still no official licensing scheme for deep geothermal development in the UK.

Because of the increasing interest in geothermal energy in the UK, The British Geological Survey published a Briefing Paper in November 2018 on the topic of geothermal heat ownership. (Abesser et al, 2018)

3. GEOTHERMAL UTILISATION

3.1 Medium / Low Enthalpy Aquifer Projects

The City of Southampton Energy Scheme (Smith 2000) remains the only significant exploitation of low enthalpy geothermal energy in the UK. It is owned and operated by Cofely District Energy, now part of ENGIE. The scheme was started in the early 1980s when an aquifer in the Triassic Sandstone containing 76°C fluid was identified at approximately 1800m in the Wessex Basin. Construction of a district-heating scheme commenced in 1987 and this has since evolved and expanded to become a combined heat and nower scheme for 3,000 homes, 10 schools and numerous commercial buildings. (http://www.energiecites.org/db/southampton_140_en.pdf). While gas fired CHP now supplies the majority of the district energy scheme's low-carbon heat, money from DECC's Deep Geothermal Fund has been provided to allow for the replacement of the original hydraulically driven downhole pump with a modern electro-submersible pump.

The hot springs at Bath have long been a tourist attraction among the Roman architecture of the ancient city. After their extensive refurbishment they continue to be popular (<u>http://www.thermaebathspa.com/</u>)

A recent development is that the cascaded flow from the hot springs, as supplied to the baths, is to be used to provide space heating for a new underfloor installation in the nearby Bath Abbey.

In 2018 work commenced on a geothermal borehole to supply the newly refurbished seawater lido pool at Penzance in Cornwall. The intention was that a 1700m deep borehole would supply direct use heat to a partitioned sub-section of the larger seawater pool. In the event, there were difficulties with the drilling. The first borehole on the esplanade was abandoned at circa 100m depth due to seawater ingress. A second hole was then attempted which reached a depth of ~400m before encountering difficult drilling conditions. However, significant water inflow was encountered at a temperature of ~25°C. The project has been modified to be an open loop water source heat pump system. The contract for this has been let at the time of writing, and the system is expected to be operational when the pool complex opens for the 2020 season.

Other preliminary work on aquifer based geothermal heat schemes and deep coaxial projects was reported in the Country Update paper for the period 2013-16. (Curtis et al 2016). At the time of writing there are no further updates to report on these.

3.2 Deep Coaxial Projects

Following the demonstration of a deep coaxial heat exchanger in borehole RH15 at Rosemanowes, Cornwall in 2014, (Law et al 2016) a number of proposals have been developed for similar projects in England and Scotland. Currently these projects are on hold for a variety of reasons.

A recent review of Deep Geothermal Energy in the UK, mainly related to the potential for heat production, was presented at EGC 2019. (Watson et al 2019)

3.3 EGS / HDR Projects

In February 2016 the UK government issued a call on behalf of Cornwall Council inviting bids for funds to be used in the development of a deep geothermal system. These funds have been secured via the European Regional Development Fund from the European Structural and Investment Funds (ESIF). Combined with $\pounds 2.4$ million of matched funding from Cornwall Council, the total amount of public funding available is $\pounds 13$ million. Applicants were specifically invited to make proposals that included the drilling of a commercial scale demonstration well in Cornwall. The call closed in June 2016.

In previous UK Country Update papers (Curtis et al 2013, Batchelor et al 2015) brief descriptions were provided of the projects expected to bid for this funding. Two projects had already identified and secured potential sites in Cornwall. In this reporting period, it was announced that the project at United Downs, headed by Geothermal Engineering Ltd (GEL) had received approval to proceed. The delivery partners in this project are GEL, GeoScience Ltd, British Geological Survey (BGS) and Plymouth University. The drilling contract has been awarded to a joint venture formed between Marriott Drilling of the UK, and Angers-Soehne of Germany, who supplied the HAS Innova drilling rig (Figure 1). Site preparation began in early 2018, and the drilling of the first (production) borehole, UD-1 commenced in November following installation of the shallow conductor casing. TD was reached in April 2019 at a measured depth of 5275m, (5075m TVD) with a down-hole temperature of approximately 180 - 185°C (awaiting full recovery before final temperature is known). Following logging and preliminary hydro-testing, the rig was slid on the drill pad to drill the shallower injection well, UD-2 in early May. This was completed in July 2019 to 2,393m MD (2214 m TVD). A brief injection test was undertaken before the Innova rig was de-mobilised. At the time of writing a tender is out for the

provision of a rig to support further hydrotesting of the wells which will begin in early 2020. More project information is available at <u>https://uniteddownsgeothermal.co.uk</u>. The project will be reported at WGC 2020 (Ledingham, Cotton, 2020), updated from the status at EGC 2019 (Law et al 2019)

In addition, funding has been secured for initial development of the other deep EGS project in Cornwall at the Eden Project. Final negotiations on the drilling of the first well are currently underway.

A new assessment of the resource base for EGS systems in the UK was published in 2017 (Busby, Terrington 2017). The potential for further suitable EGS sites in Cornwall is already underway. The GWatt project has been established to explore the potential for deep EGS systems based on fracture networks in the UK granites and will be reported at WGC2020 (Rochelle et al, 2020)



Figure 1: HAS Innova drilling rig on Borehole UD1 at United Downs Cornwall. February 2019

3.4 GSHP Activity

The background to GSHP activity in the UK up to 2013 and 2015 respectively is provided in two earlier Country Update papers (viz for EGC 2013 (Curtis et al 2013) and for WGC 2015 (Batchelor et al 2015).

Along with installation activity, a number of parallel supporting activities have continued. The UK Ground Source Heat Pump Association (www.gshpa.org.uk) has held technical seminars and has continued to develop technical standards. In this reporting period a new standard for Thermal Pile installations has been published, and all of the UK GSHPA standards are now available via the CIBSE website. To promote awareness of the significant carbon reduction potential of GSHPs in the UK, due to the rapid reduction in the carbon intensity of the UK grid, the GSHPA released an online app that provides realtime, regionally based, CO₂ emissions for various heating systems:

https://planetcooler.pythonanywhere.com/static/CO2Reg0.html

During this reporting period, the Renewable Heat Incentive (RHI) for both domestic and non-domestic heating installations (solar, biomass and heat pumps) finally began to have significant (positive) impact on the rate of GSHP installations, following a decline since 2010. A review by DECC / DBEIS of the relative RHI tariffs for heat pumps compared to other technologies led to revised tariffs and a subsequent acceleration in GSHP installations since spring of 2017. The RHI scheme will continue up to March 2021.

In April 2019 the Climate Change Committee announced that they are recommending to UK Government that in 2025, all new housing will have to be fitted with low / zero carbon heating systems. At a local level, the Greater London Authority (GLA) has also recently announced revised carbon performance requirements for new and redeveloped buildings that fall within its region.

The challenge for the UK GSHP industry will be to manage the four year gap between the end of the RHI in 2021 and the requirement for low carbon heating systems in 2025.

A comprehensive review of the evolution of GSHPs in the UK domestic sector is summarized in a review paper by Rees / Curtis (2014), and the initial impact of the RHI scheme was reported at EGC 2016 (Curtis, Pine 2016).

The latest update (Dec 2018) from OFGEM on the RHI installation statistics for Domestic systems is published here:

https://www.ofgem.gov.uk/publications-and-updates/domestic-renewable-heat-incentive-quarterly-report-issue-18

and for Non-Domestic systems:

https://www.ofgem.gov.uk/publications-and-updates/non-domestic-renewable-heat-incentive-rhi-quarterly-report-octoberdecember-2018

4. MINEWATER.

The EGC 2016 UK Country Update reported on a significant awakening of interest in the possible use of flooded abandoned coal and metal mines in different regions of the UK, viz Scotland, England, Wales and Cornwall. A number of potential schemes were described, and are not repeated here. In the interim there have been ongoing investigations. It is reported that the Coal Authority, who manage abandoned mines in the UK, are developing the heat resource from 16 existing minewater treatment schemes. In South Wales, following feasibility studies and reports, Bridgend Council have started drilling into old coal mines in the Llynfi Valley with the intention of heating 200+ homes.

The British Geological Survey are also developing a new geothermal research facility over former coal workings in Glasgow.

In June 2019 the D2GRIDS Project was launched as part of Interreg North West Europe. This will see five pilot minewater based sites initiated across Europe based on the successful minewater development at Heerlen in the Netherlands. The two sites in the UK will be in Glasgow and Nottingham.

There are few technical barriers to putting the old mine workings back to work in sustainable developments to provide heating, hot water and cooling. However, the issues of surface and subsurface ownership, licences for abstraction and discharge, the control of pollution and the potential claims of mineral owners all need resolution for any particular project.

5. MEETINGS AND PUBLICATIONS.

The level of interest in all things geothermal in the UK is reflected in recent symposia/meetings held on the subject and a number of generic papers on the subject.

The principal UK geothermal energy conference was the 6th London Geothermal Symposium held on 16th October 2017 at the Geological Society. At the time of writing, the 7th Symposium will be held on 5th November 2019 at the Geological Society and has a full programme.

The UK GSHPA continues to hold its Annual AGM and Seminar/Exhibition and has also held two technical seminars in this reporting period, the last one in 2018 being hosted at the University of Leeds.

6. RESEARCH

UK geothermal research is largely concentrated on developing the potential of less conventional resources as deep hot sedimentary aquifers are only found in a few regions and often not in regions of high heat demand. Much research is undertaken within the Higher Education sector, usually as part of PhD programmes, as follows:

- Exploiting the permeability of deep fracture systems as viable geothermal resources (Glasgow University).
- Exploring the extent of palaeokarst within the buried Carboniferous Limestone and its geothermal potential (Durham University).
- Quantifying the potential of the thermal resource within disused mine systems in the UK (Newcastle University, Glasgow University, British Geological Survey).
- NERC funded GWatt project Geothermal Power Generated from UK Granites to increase knowledge of the geological conditions needed for deep fracture-controlled fluid flow within granitic rocks (University of Exeter, Camborne School of Mines) (<u>https://gtr.ukri.org/projects?ref=NE%2FS003886%2F1</u>)

7. CONCLUSIONS

With the increasing pressure to develop secure, low carbon, sustainable energy sources for the delivery of both electricity and heating, there has been a revival of interest in geothermal energy in the UK. After a wait of over 30 years, real activity has restarted in Cornwall, with the United Downs Deep Geothermal Project now fully underway. The outcome of this significant project will be closely followed, with interest already developing in future systems in South West England.

GSHP activity is at last back on an upward curve after a decline triggered by a combination of factors in 2010. The requirement for low carbon domestic heating systems from 2025 should mean that there is a prospect of rapid growth in this sector.

The various deep geothermal heat projects that were reported in for EGC 2016 are still taking considerable time and effort to bring to fruition. Hopefully the Bridgend minewater project should be realised and encourage the utilisation of other UK minewater resources in Glasgow and Nottingham through the D2GRIDS project.

REFERENCES

- Abesser, C., Schofield, D., Busby, J., Bonsor, H.: Who Owns (Geothermal) Heat? British Geological Survey http://geoatlantic.eu/portfolio/wp-content/uploads/2019/01/whoOwnsGeothermalHeat.pdf (Nov 2018)
- Batchelor, A.S.: Geothermal Resources of the UK Country Update Report 1985-1990, International Symposium on Geothermal Energy, GRC International Volume, Hawaii, USA, (1990).
- Batchelor, A.S.: Geothermal Developments in the UK- Country Update Report 1990-1995, IGA WGC Proceedings, Florence Italy, (1995).
- Batchelor, A.S, Curtis, R.H, Ledingham, P.: Country Update for the United Kingdom, IGA WGC Proceedings, Antalya, Turkey, (2005).
- Batchelor, A.S, Curtis, R.H, Ledingham, P.: Country Update for the United Kingdom, IGA WGC Proceedings, Bali Indonesia, (2010).
- Batchelor, A.S, Curtis, R, Ledingham, P, Law, R.: Country Update for the United Kingdom, Proc World Geothermal Congress, Melbourne, Australia, (April 2015).
- Busby J., Terrington, R.: Assessment of the Resource Base for Engineered Geothermal Systems in Great Britain. Geothermal Energy, pp18, DOI 10.1186 /s40517-017-0066-z. (2017)
- Curtis, R., Ledingham, P, Law, R, Bennett, T: Geothermal Energy Use, Country Update for United Kingdom. European Geothermal Congress 2013, Pisa, Italy, (June 2013).
- Curtis, R., Law, R., Adams, C.: Geothermal Energy Use, Country Update for the United Kingdom. European Geothermal Congress 2016, Strasbourg, France (Sept 2016).
- Curtis, R., Pine, T.: RHI Incentive or Inhibitor to UK GSHP Growth? European Geothermal Congress 2016, Strasbourg, France (Sept 2016).
- Downing, R.A. and Gray, D.A.: Geothermal Energy The Potential in the United Kingdom, HMSO, ISBN 011 8843664, (1986).
- Garnish, J.D.: Geothermal Resources of the UK Country Update Report, International Symposium on Geothermal Energy, Geothermal Resources Council, International Volume, ISBN 0-934412-88-X, Hawaii USA, (1985).
- Law, R., Chendorain, M., Free, M., Collins, M.: Development and Deployment of Deep Geothermal Single Wells in the UK.European Geothermal Congress 2016, Strasbourg, France (Sept 2016).
- Law, R., Cotton, L., Ledingham, P.: The United Downs Deep Geothermal Power Project. Proc. European Geothermal Congress 2019, Den Haag, The Netherlands, June 2019.
- Ledingham, P., Cotton, L.: The United Downs Deep Geothermal Power Project. Proc World Geothermal Congress, Reykjavik, Iceland, Apr-May 2020
- Rees, S., Curtis, R.: National Deployment of Domestic Geothermal Heat Pump Technology: Observations of the UK Experience 1995 2013. *Energies* **2014**, 7(8), 5460-5499; <u>https://doi.org/10.3390/en7085460</u>
- Rochelle, C., Busby, J., Kilpatrick A., Shail, R., Yeomans, C., Eyre, M., den Hartog, S., Arnold, D., Geiger, S., Busch, A., Ledingham, P., Law, R., Carroll, C.: Geothermal Power Generated from UK Granites (GWatt), Proc. World Geothermal Congress, 2020, Reykjavik, Iceland, Apr-May 2020.
- Sinclair Knight Merz (SKM): Geothermal Energy Potential: Great Britain and Northern Ireland, (May 2012).
- Smith, M.: Southampton Energy Scheme. World Geothermal Congress, IGA, Kyushu Tokyo Japan, (2000)
- Watson, S.M., Westaway, R., Falcone, G.: A Review of Deep Geothermal Energy and Future Opportunities in the UK. Proc. European Geothermal Congress 2019, Den Haag, The Netherlands, June 2019.

ACKNOWLEDGEMENTS

The views expressed in this paper are those of the authors alone

Batchelor et al.

TABLE 1. PRESEN	T AND PLA	NNED PR	DUCTION OF E	LECTRICITY	Y							
									Other Rene	wables		
	Geoth	ermal	Fossil Fu	iels	Hydro)	Nuclea	r	(specif	y)	Total	
		Gross		Gross		Gross		Gross		Gross		Gross
	Capacity	Prod.		Prod.	Capacity	Prod.		Prod.		Prod.		Prod.
	MWe	GWh/yr	Capacity MWe	GWh/yr	MWe	GWh/yr	Capacity MWe	GWh/yr	Capacity MWe	GWh/yr	Capacity MWe	GWh/yr
In operation in December 2019												
	0	0	50,000	158,000	292	5,500	9,300	65,100	44,300	105,000	103,892	333,60
Under construction in December 2019	0	0	840	6,622	0	0	2,000	15,770	?	?	2,840	22,40
Funds committed, but not yet under construction in December 2019	3	21	0	0	0	0	0	0		?	3	2
Estimated total projected use by 2020	3	21	50,840	164,622	292	5,500	11,300	80,870	44,300	105,000	106,735	

TABLE 2.	UTILIZATION OF GEOTHERMAL ENER	GY FOR ELECTRIC POW	ER GENERAT	ION AS OF 31	DECEMBER 2	019			1
1)	N = Not operating (temporary),	R = Retired. Otherwi	se leave bla	ank if presei	ntly operatin	g.			
2)	1F = Single Flash	B = Bin	ary (Rankin	e Cycle)					
	2F = Double Flash	H = Hybrid	H = Hybrid (explain) O = Other (please specify)						
	3F = Triple Flash	O = Oth							
	D = Dry Steam								
3)	Electrical installed capacity in 2	019							
4)	Electrical capacity actually up a	nd running in 2019							
Locality	Power Plant Name	Year Com- missioned	No. of Units	Status ¹⁾	Type of Unit ²⁾	Total Installed Capacity MWe ³⁾	Total Running Capacity MWe ⁴⁾	Annual Energy Produced 2019 GWh/yr	Total under Constr. or Planned MWe

6

Industrial pr	rocess h	oot									
	rocess h	aat									
		eat			H = Individ	H = Individual space heating (other than heat pumps)					
C = Air conditioning (cooling) A = Agricultural drying (grain fruit vegetables)					D = District heating (other than heat pumps)						
= Agricultura	l drying	(grain, fruit,	vegetable	s)	B = Bathin	g and swim	ming (incluc	ling balneol	ogy)		
Fish farmin	g				G = Greenhouse and soil heating						
= Animal farn	ning				O = Other	(please spe	cify by foot	note)			
= Snow melti	ing		1	1							
thalpy inforn	nation is	given only	if there is s	steam or two	-phase flow	/					
pacity (MWt)) = Max.	flow rate (k	g/s)[inlet te	mp. (°C) - ٥١	- outlet temp. (°C)] x 0.004184				(MW = 10 ⁶ V		
								1	·		
erav use (T.)	$I/vr = \Delta r$	ve flow rate	e (ka/s) x [ir	let temp (°(C) - outlet te	mp (°C)] x	0 1319		(Т.	J = 10 ¹² J	
								0 03154	(1		
	01 71		5 (itg/0) x [i				, (no/ng)] x				
pacity factor	r = [Ann	ual Energy	Use (TJ/yr)	/Capacity (M	IWt)] x 0.03 ⁻	171					
							less,				
since	e project	ts do not op	perate at 10	00% of capa	city all year	:					
= t	Fish farmin Animal farr Snow melt thalpy inforr pacity (MWt) or ergy use (T. pacity factor Note: the	Fish farming Animal farming Snow melting thalpy information is pacity (MWt) = Max. or = Max. ergy use (TJ/yr) = A or = A pacity factor = [Ann Note: the capacity	Fish farming Animal farming Snow melting thalpy information is given only pacity (MWt) = Max. flow rate (k or = Max. flow rate (k ergy use (TJ/yr) = Ave. flow rate or = Ave. flow rate pacity factor = [Annual Energy Note: the capacity factor mus	Fish farming Animal farming Snow melting thalpy information is given only if there is s pacity (MWt) = Max. flow rate (kg/s)[inlet te or = Max. flow rate (kg/s)[inlet en ergy use (TJ/yr) = Ave. flow rate (kg/s) x [ir or = Ave. flow rate (kg/s) x [ir pacity factor = [Annual Energy Use (TJ/yr) Note: the capacity factor must be less th	Animal farming Snow melting thalpy information is given only if there is steam or two pacity (MWt) = Max. flow rate (kg/s)[inlet temp. (°C) - or or = Max. flow rate (kg/s)[inlet enthalpy (kJ/k ergy use (TJ/yr) = Ave. flow rate (kg/s) x [inlet temp. (°C or = Ave. flow rate (kg/s) x [inlet temp. (°C or = Ave. flow rate (kg/s) x [inlet enthalpy pacity factor = [Annual Energy Use (TJ/yr)/Capacity (M Note: the capacity factor must be less than or equal	Fish farming G = Green Animal farming O = Other Snow melting O = Other thalpy information is given only if there is steam or two-phase flow pacity (MWt) = Max. flow rate (kg/s)[inlet temp. (°C) - outlet temp. (°C)	Fish farming G = Greenhouse and Animal farming O = Other (please spectrum) Snow melting O = Other (please spectrum) thalpy information is given only if there is steam or two-phase flow pacity (MWt) = Max. flow rate (kg/s)[inlet temp. (°C) - outlet temp. (°C)] x 0.004 or = Max. flow rate (kg/s)[inlet enthalpy (kJ/kg) - outlet enthalpy (kJ/kg) ergy use (TJ/yr) = Ave. flow rate (kg/s) x [inlet temp. (°C) - outlet temp. (°C)] x outlet enthalpy or = Ave. flow rate (kg/s) x [inlet enthalpy (kJ/kg) - outlet enthalpy pacity factor = [Annual Energy Use (TJ/yr)/Capacity (MWti)] x 0.03171	Fish farming G = Greenhouse and soil heating Animal farming O = Other (please specify by foot) Snow melting O = Other (please specify by foot) thalpy information is given only if there is steam or two-phase flow D pacity (MWt) = Max. flow rate (kg/s)[inlet temp. (°C) - outlet temp. (°C)] x 0.004184 D or = Max. flow rate (kg/s)[inlet enthalpy (kJ/kg) - outlet enthalpy (kJ/kg)] x 0.007 D ergy use (TJ/yr) = Ave. flow rate (kg/s) x [inlet temp. (°C) - outlet temp. (°C)] x 0.1319 D or = Ave. flow rate (kg/s) x [inlet enthalpy (kJ/kg) - outlet enthalpy (kJ/kg)] x 0.03171 D pacity factor = [Annual Energy Use (TJ/yr)/Capacity (MWt)] x 0.03171 Note: the capacity factor must be less than or equal to 1.00 and is usually less,	Fish farming G = Greenhouse and soil heating Animal farming O = Other (please specify by footnote) Snow melting O = Other (please specify by footnote) thalpy information is given only if there is steam or two-phase flow Image: Comparison of the phase flow pacity (MWt) = Max. flow rate (kg/s)[inlet temp. (°C) - outlet temp. (°C)] x 0.004184 Image: Comparison of the phase flow or = Max. flow rate (kg/s)[inlet temp. (°C) - outlet temp. (°C)] x 0.004184 Image: Comparison of the phase flow ergy use (TJ/yr) = Ave. flow rate (kg/s) x [inlet temp. (°C) - outlet temp. (°C)] x 0.1319 Image: Comparison of the phase flow or = Ave. flow rate (kg/s) x [inlet temp. (°C) - outlet temp. (°C)] x 0.1319 Image: Comparison of the phase flow or = Ave. flow rate (kg/s) x [inlet temp. (°C) - outlet temp. (°C)] x 0.1319 Image: Comparison of the phase flow flow of the phase flow or = Ave. flow rate (kg/s) x [inlet temp. (°C) - outlet temp. (°C)] x 0.1319 Image: Comparison of the phase flow flow flow flow flow flow flow flow	Fish farming G = Greenhouse and soil heating Animal farming O = Other (please specify by footnote) Snow melting O = Other (please specify by footnote) thalpy information is given only if there is steam or two-phase flow O = Other (please specify by footnote) pacity (MWt) = Max. flow rate (kg/s)[inlet temp. (°C) - outlet temp. (°C)] x 0.004184 (MW or = Max. flow rate (kg/s)[inlet enthalpy (kJ/kg) - outlet enthalpy (kJ/kg)] x 0.001 (Total and	

Note: please report all numbers to three significant figures.

				Max	imum Utiliza	ation		Capacity ³⁾	Annual Utilization		
Loca	ality	Type ¹⁾	Flow Rate	Tempera	ature (°C)	Enthalpy	²⁾ (kJ/kg)		Ave. Flow		Capacity
			(kg/s)	Inlet	Outlet	Inlet	Outlet	(MWt)	(kg/s)	(TJ/yr)	Factor ⁵⁾
Southampt	on	D		75				1.7		72.5	0.83
Bath		В						~1		~34	0.95
			-					-			
			1 1								
			1 1								
			1								
			-		-						
			1								
			<u> </u>								
			↓								
			<u> </u>								
			+								
то			┨────┤					3.761		106.5	<u> </u>
10	AL							3.761		100.5	

LE 4.	GEOTHERMAL	GROUND-SOU	RCE) HEAT PUM	PS AS OF 31 D	ECEMBER 2019					
		thermal energy u					parately heat reje	cted to the groui	nd or water in the	e coolin
re	ejected to the gr	ound in the coolir	ng mode as this r	educes the effe	ct of global warm	ing.				
1) Report the ave	rage ground temp	erature for arou	nd-coupled unit	s or average well	water or lake w	ater temperature f	or water-source l		
	Report the ave	lage ground temp			s of average wen	water of lake wa		or water-source i	icat pumps	
2) Penert type of	installation as foll			V = vertical grou				(7	rJ = 10
	Report type of	Installation as foil	ows.		H = horizontal g				(1	J – TU
					W = water source	•	untor)			
					O = others (plea					
3	Benert the CO	P = (output therm	al anarav/incut a	normy of comm			to 4			
		P = (output therm ivalent full load o					0.0.4			
5	Inermal energy	y (TJ/yr) = flow rat			C) - outlet temp. (℃ C) x [(COP - 1)/COI		full load bour to			
6)	0. "						ruli load nours/yr			
-,	Cooling energy	<pre>/ = rated output e</pre>	energy (KJ/hr) x [(EER - 1)/EERJ	c equivalent full lo	ad hours/yr				
		mbers to three signal on, locality can be		in the country						
Du	e to room innitati	on, locality can be	e by legions with	in the country.						
		T			T		T	Heating		
		Ground or Water	Typical Heat F	ump Rating or				Equivalent Full	Thermal Energy	Cool
	Locality	Temp.	Cap	acity	Number of Units	Type ²⁾	COP ³⁾	Load	Used ⁵⁾	Energ
		(°C) ¹⁾	(kW)					Hr/Year ⁴⁾	(TJ/yr)	(TJ/
	all UK	10-14	1	8	29,000	V & H	3	2200	4,134	
		+			+		+			
							1			
		1			1		1			
		<u> </u>			<u> </u>		<u> </u>			
	TOTAL				29,000				4,134	

TABLE 5.	SUI	SUMMARY TABLE OF GEOTHERMAL DIRECT HEAT USES AS OF 31 DECEMBER 2									
¹⁾ Inst	talled Capacity (t	hermal power) (MWt) = Max_fl	ow rate (kg/s) x	linlet temp (°C) - outlet temp. (°C)1 x 0 004184				
						kg) - outlet enthalpy		1			
²⁾ Ann	ual Energy Use	(TJ/vr) = Ave. fl						Т)			
	;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;					lpy (kJ/kg) x 0.031	54	(.			
³⁾ Cap	acity Factor = [A							(N			
		00% capacity al			-			``````````````````````````````````````			
4) Other than	heat pump	S								
5	ⁱ⁾ Includes d	rying or deh	ydration of	grains, fruits	and veget	ables					
	ⁱ⁾ Excludes a				6						
) Includes b		, ,								
	Use		Installed C	Capacity ¹⁾	Annual E	nergy Use ²⁾	Capacity	/ Factor ³⁾			
				Wt)		: 10 ¹² J/yr)					
Individual	Space Heat	ina ⁴⁾		//							
District He			1	.7	72.5		0.83				
	ioning (Cooli	ng)									
	se Heating										
Fish Farmi	ing										
Animal Fa											
Agricultura											
	Process Hea	1t ⁶⁾									
Snow Mel											
	Bathing and Swimming ⁷⁾			~1		~34		0.95			
	s (specify)										
Subtotal											
	al Heat Pum	ps		22		,134	0.	25			
TOTAL			525		4240						

TABLE 6. WELLS DRILLED FOR ELECTRICAL, DIRECT AND COMBINED USE OF GEOTHERMAL RESOURCES FROM JANUARY 1, 2015 TO DECEMBER 31, 2019 (excluding heat pump wells)

¹⁾ Include thermal gradient wells, but not ones less than 100 m deep

Purpose	Wellhead		Number of	Wells Drilled		Total Depth (km)
	Temperatur	Electric	Direct Use	Combined	Other	
	е	Power			(specify)	
Exploration ¹⁾	(all)					
Production	>150° C	1				5
	150-100° C					
	<100° C					
Injection	(all)	1				3
Total		2				7.75

TABLE 7.		ALLOCATION OF PROFESSIONAL PERSONNEL TO GEOTHERMAL ACTIVITIES (Restricted to personnel with University degrees)										
	(1) Govern	iment		(4) Paid Fo	oreign Cons	ultants						
	(2) Public	Utilities		(5) Contributed Through Foreign Aid Program								
	(3) Univers	sities		(6) Private Industry								
Ye	ear		Profe	ssional Pers	son-Years o	f Effort						
		(1)	(2)	(3)	(4)	(5)	(6)					
20	15	5	0	15	0	0	8					
20	16	5	0	16	0	0	8					
20)17	5	0	18	0	0	8					
2018		5	0	20	0	0	10					
2019		5	0	25	0	0	10					
To	otal											

TABLE 8.	TOTAL INVESTMENTS I	N GEOTHERMAL IN (2	019) US\$			
	Research &	Field Development	Utiliz	ation	Funding Type	
Period	Development Incl.	Including Production	Direct	Electrical	Private	Public
	Million US\$	Million US\$	Million US\$	Million US\$	%	%
1995-1999						
2000-2004						
2005-2009						
2010-2014						
2015-2019		18		6	25	75